

初野浄水場 流量水質報告書

平成29年4月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	34,110	1.41	7.48	—	21,580	15,950	0.98	7.47	6.80	0.00	0.00	
2	33,200	1.33	7.47	—	20,920	15,200	0.93	7.45	6.70	0.00	0.00	
3	33,620	1.37	7.51	—	20,800	15,360	0.95	7.48	7.00	0.00	0.00	
4	33,470	1.34	7.49	—	20,820	15,780	0.96	7.45	7.00	0.00	0.00	
5	33,780	1.30	7.50	—	21,340	15,950	0.93	7.45	7.20	0.00	0.00	
6	33,550	1.32	7.50	—	20,540	15,810	0.92	7.45	7.40	2.40	0.00	
7	33,450	1.32	7.49	—	20,790	15,800	0.93	7.44	8.40	0.00	0.00	
8	33,830	1.38	7.47	—	21,320	16,110	0.95	7.44	9.10	0.00	0.00	
9	33,300	1.37	7.50	—	21,190	15,340	1.00	7.45	8.70	0.00	0.00	
10	33,500	1.49	7.50	—	21,280	15,380	1.05	7.48	9.40	0.00	0.00	
11	33,430	1.42	7.50	—	20,900	15,960	1.01	7.48	8.90	0.00	0.00	
12	33,770	3.84	7.43	—	21,560	16,150	1.42	7.44	8.60	0.00	0.00	
13	33,300	1.87	7.47	—	20,900	16,280	1.38	7.47	9.20	2.40	0.00	
14	33,340	1.68	7.50	—	20,810	16,380	1.26	7.47	9.00	0.00	0.00	
15	33,480	1.68	7.45	—	20,750	16,270	1.16	7.44	9.30	0.00	0.00	
16	33,140	1.62	7.48	—	20,930	15,940	1.16	7.45	9.50	0.00	0.00	
17	33,660	1.61	7.46	—	21,180	15,870	1.15	7.44	9.90	0.00	0.00	
18	33,560	1.71	7.46	—	21,060	15,900	1.09	7.44	9.50	0.00	0.00	
19	33,200	1.93	7.44	—	20,590	15,740	1.20	7.44	10.30	0.00	0.00	
20	31,760	2.00	7.45	—	19,400	15,990	1.19	7.46	10.60	2.40	0.00	
21	33,280	1.96	7.47	—	20,830	15,890	1.17	7.43	10.10	0.00	0.00	
22	33,590	2.02	7.45	—	21,200	15,950	1.24	7.41	9.90	0.00	0.00	
23	33,300	2.02	7.47	—	21,000	15,400	1.20	7.44	10.40	0.00	0.00	
24	33,280	1.98	7.48	—	20,870	15,350	1.13	7.45	10.50	0.00	0.00	
25	33,270	2.04	7.51	—	20,820	15,700	1.12	7.43	10.50	0.00	0.00	
26	33,630	2.03	7.47	—	20,930	16,070	1.11	7.44	11.00	0.00	0.00	
27	33,250	1.92	7.46	—	20,880	15,900	0.87	7.44	11.50	2.40	0.00	
28	33,200	1.90	7.46	—	20,590	15,810	1.03	7.46	11.70	0.00	0.00	
29	32,310	1.77	7.48	—	19,360	15,830	1.06	7.44	11.40	0.00	0.00	
30	31,920	1.75	7.46	—	19,490	15,200	1.04	7.45	11.50	0.00	0.00	
合計	999,480			—	624,630	474,260				9.60	0.00	
最大	34,110	3.84	7.51	—	21,580	16,380	1.42	7.48	11.70	2.40	0.00	
最小	31,760	1.30	7.43	—	19,360	15,200	0.87	7.41	6.70	0.00	0.00	
平均	33,316	1.75	7.48	—	20,821	15,809	1.09	7.45	9.37	0.32	0.00	

初野浄水場 流量水質報告書

平成29年5月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	31,390	1.65	7.45	—	19,170	14,970	1.26	7.33	14.70	0.00	0.00	
2	30,540	1.61	7.49	—	18,180	14,210	1.32	7.46	12.20	2.40	0.00	
3	30,810	1.51	7.47	—	17,940	15,270	1.26	7.44	12.20	0.00	0.00	
4	31,370	1.44	7.46	—	18,550	15,380	1.18	7.46	12.10	0.00	0.00	
5	31,150	1.41	7.45	—	18,960	15,100	1.16	7.47	12.30	0.00	0.00	
6	31,150	1.39	7.44	—	18,550	14,990	1.14	7.45	12.70	0.00	0.00	
7	31,150	1.39	7.45	—	19,270	15,020	1.15	7.44	12.70	0.00	0.00	
8	31,350	1.41	7.41	—	18,900	15,130	1.15	7.44	13.60	0.00	0.00	
9	31,560	1.61	7.43	—	18,260	15,930	1.31	7.43	14.30	0.00	0.00	
10	31,350	1.47	7.39	—	18,150	15,970	1.19	7.41	13.00	0.00	0.00	
11	31,510	1.45	7.40	—	18,770	15,890	1.15	7.40	13.20	2.40	0.00	
12	31,610	1.37	7.39	—	18,250	16,030	1.13	7.39	13.80	0.00	0.00	
13	31,370	1.33	7.36	—	18,260	15,890	1.12	7.36	13.30	0.00	0.00	
14	31,300	2.05	7.28	—	19,090	15,230	1.37	7.30	13.00	0.00	0.00	
15	31,570	1.59	7.27	—	19,250	15,160	1.39	7.30	13.20	0.00	0.00	
16	31,480	1.58	7.32	—	19,100	15,940	1.34	7.31	13.30	0.00	0.00	
17	31,180	1.90	7.30	—	18,390	15,930	1.30	7.32	13.60	0.00	0.00	
18	31,470	2.02	7.30	—	18,970	16,240	1.33	7.30	13.40	2.40	0.00	
19	31,490	1.97	7.33	—	18,940	16,170	1.30	7.31	13.70	0.00	0.00	
20	31,490	1.89	7.28	—	18,620	16,150	1.28	7.31	14.10	0.00	0.00	
21	31,470	1.78	7.28	—	19,090	15,500	1.20	7.31	14.80	0.00	0.00	
22	31,330	1.65	7.27	—	18,610	15,180	1.29	7.28	14.90	0.00	0.00	
23	31,150	1.58	7.27	—	18,660	15,820	1.09	7.28	15.00	0.00	0.00	
24	31,160	1.57	7.26	—	18,800	15,810	1.14	7.26	15.10	0.00	0.00	
25	31,670	1.50	7.25	—	19,350	16,120	1.09	7.25	15.20	2.40	0.00	
26	31,260	1.48	7.22	—	19,440	15,950	1.10	7.24	15.00	0.00	0.00	
27	31,670	1.51	7.23	—	19,420	15,940	1.10	7.23	14.80	0.00	0.00	
28	31,360	1.41	7.25	—	19,410	15,500	1.05	7.26	15.10	0.00	0.00	
29	32,260	1.47	7.24	—	18,250	15,330	0.99	7.27	15.20	0.00	0.00	
30	32,800	1.44	7.26	—	18,700	15,990	0.99	7.27	15.30	0.00	0.00	
31	32,620	1.29	7.16	—	19,900	16,100	0.85	7.17	13.80	0.00	0.00	
合計	975,040			—	583,200	483,840				9.60	0.00	
最大	32,800	2.05	7.49	—	19,900	16,240	1.39	7.47	15.30	2.40	0.00	
最小	30,540	1.29	7.16	—	17,940	14,210	0.85	7.17	12.10	0.00	0.00	
平均	31,453	1.57	7.33	—	18,813	15,608	1.18	7.34	13.83	0.31	0.00	

初野浄水場 流量水質報告書

平成29年6月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	33,200	1.25	7.14	—	20,570	16,300	0.85	7.16	13.50	2.40	0.00	
2	32,620	1.30	7.13	—	20,920	15,950	0.94	7.15	13.40	0.00	0.00	
3	32,860	1.35	7.17	—	20,810	16,030	1.00	7.19	13.50	0.00	0.00	
4	32,680	1.31	7.16	—	20,780	14,980	0.96	7.21	13.70	0.00	0.00	
5	32,740	1.35	7.14	—	20,350	15,250	0.99	7.18	13.80	0.00	0.00	
6	32,690	1.35	7.15	—	20,370	15,760	1.04	7.19	13.60	0.00	0.00	
7	33,100	2.61	7.18	—	20,500	16,070	1.09	7.21	13.70	0.00	0.00	
8	32,450	1.20	7.16	—	20,100	15,940	1.10	7.19	13.70	2.40	0.00	
9	31,890	1.17	7.14	—	19,610	16,070	1.05	7.19	13.80	0.00	0.00	
10	31,770	1.29	7.15	—	19,120	16,030	1.08	7.15	13.70	0.00	0.00	
11	31,830	1.17	7.14	—	19,180	15,220	1.07	7.17	13.80	0.00	0.00	
12	32,120	1.04	7.15	—	19,360	15,280	1.08	7.15	13.80	0.00	0.00	
13	31,600	1.14	7.15	—	18,790	15,880	1.18	7.09	13.70	0.00	0.00	
14	31,520	1.38	7.16	—	19,120	15,860	1.62	7.14	13.80	0.00	0.00	
15	31,850	1.23	7.15	—	19,540	16,230	1.16	7.12	13.90	2.70	0.00	
16	32,650	1.21	7.14	—	20,560	15,870	1.03	7.11	13.80	0.00	0.00	
17	33,610	1.56	7.15	—	21,410	16,270	0.98	7.12	13.90	0.00	0.00	
18	33,230	1.38	7.14	—	21,250	15,200	1.00	7.16	13.80	0.00	0.00	
19	33,200	1.36	7.08	—	21,660	15,140	1.01	7.14	13.70	0.00	0.00	
20	33,500	1.27	7.11	—	21,260	16,070	1.17	7.11	13.60	0.00	0.00	
21	32,670	1.31	7.10	—	19,910	15,880	1.00	7.13	14.00	0.00	0.00	
22	33,640	1.36	7.10	—	20,340	16,330	0.82	7.14	14.00	0.00	0.00	
23	33,210	1.57	7.09	—	19,900	16,570	0.91	7.12	14.30	0.00	0.00	
24	33,210	1.05	7.08	—	20,230	16,180	0.24	7.10	13.80	0.00	0.00	
25	32,970	1.06	7.07	—	20,720	15,460	0.23	7.08	13.10	0.00	0.00	
26	32,810	1.08	7.07	—	21,120	15,110	0.23	7.14	13.20	0.00	0.00	
27	32,660	1.65	7.06	—	20,460	15,950	0.98	7.08	13.80	0.00	0.00	
28	33,530	1.74	7.05	—	21,150	16,420	1.02	7.08	14.00	0.00	0.00	
29	32,740	1.72	7.04	—	20,730	15,830	0.96	7.20	15.20	2.40	0.00	
30	32,610	1.72	7.04	—	20,520	15,890	1.06	7.05	14.00	0.00	0.00	
合計	981,160			—	610,340	475,020				9.90	0.00	
最大	33,640	2.61	7.18	—	21,660	16,570	1.62	7.21	15.20	2.70	0.00	
最小	31,520	1.04	7.04	—	18,790	14,980	0.23	7.05	13.10	0.00	0.00	
平均	32,705	1.37	7.12	—	20,345	15,834	0.96	7.14	13.79	0.33	0.00	

初野浄水場 流量水質報告書

平成29年7月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	32,970	1.68	7.07	—	20,200	16,040	1.00	7.05	14.00	0.00	0.00	
2	32,730	1.61	7.06	—	19,570	15,240	1.04	7.09	14.10	0.00	0.00	
3	32,630	1.59	7.05	—	19,210	15,150	0.95	7.04	13.90	0.00	0.00	
4	33,030	1.56	7.05	—	21,120	16,230	1.00	7.07	13.80	0.00	0.00	
5	32,980	1.54	7.01	—	21,100	16,160	0.99	7.06	14.00	0.00	0.00	
6	32,390	1.50	7.04	—	20,230	15,840	0.96	7.05	14.00	2.40	0.00	
7	32,690	1.51	7.05	—	20,210	16,060	0.99	7.05	14.00	0.00	0.00	
8	32,760	1.48	7.04	—	20,000	16,110	0.94	7.06	14.00	0.00	0.00	
9	33,000	1.42	7.02	—	20,760	16,060	0.88	7.06	14.00	0.00	0.00	
10	32,470	1.40	7.01	—	20,290	15,310	0.88	7.01	13.90	0.00	0.00	
11	32,790	1.40	7.00	—	20,270	16,700	0.85	7.01	13.90	0.00	0.00	
12	32,590	1.32	7.00	—	19,880	16,570	0.82	7.02	13.70	0.00	0.00	
13	32,640	1.35	6.99	—	19,870	16,760	0.80	6.99	13.40	2.40	0.00	
14	32,830	1.33	6.99	—	20,660	15,910	0.78	7.00	13.50	0.00	0.00	
15	32,800	1.23	6.98	—	19,990	15,960	0.75	7.01	13.70	0.00	0.00	
16	32,480	1.17	6.97	—	20,440	15,770	0.82	6.99	13.60	0.00	0.00	
17	32,520	1.21	6.98	—	20,570	15,240	0.75	7.03	13.60	0.00	0.00	
18	32,790	1.21	6.99	—	20,360	17,280	0.75	6.99	13.60	0.00	0.00	
19	32,360	1.46	6.95	—	20,500	17,280	0.90	7.00	13.70	0.00	0.00	
20	32,830	1.51	6.95	—	20,440	16,170	0.89	7.01	13.90	2.40	0.00	
21	32,640	1.43	6.96	—	20,260	15,980	0.91	6.97	14.00	0.00	0.00	
22	32,500	1.47	6.95	—	20,190	15,950	0.85	6.96	13.80	0.00	0.00	
23	33,040	1.45	6.95	—	20,820	15,570	0.87	6.94	13.80	0.00	0.00	
24	32,110	1.39	6.94	—	20,710	15,140	0.80	6.96	13.80	0.00	0.00	
25	32,740	1.43	6.94	—	20,960	16,020	0.84	6.96	14.00	0.00	0.00	
26	32,480	1.68	6.95	—	21,030	17,030	0.94	6.95	14.30	0.00	0.00	
27	31,980	1.66	6.96	—	19,560	17,230	0.88	7.02	14.40	2.40	0.00	
28	33,020	1.65	6.95	—	20,500	16,890	0.85	6.98	14.60	0.00	0.00	
29	32,570	1.66	6.96	—	20,580	15,710	1.02	6.95	14.70	0.00	0.00	
30	32,450	1.93	6.93	—	20,740	14,990	1.04	6.95	14.80	0.00	0.00	
31	32,650	1.91	6.95	—	20,800	15,270	1.03	6.96	15.00	0.00	0.00	
合計	1,012,460			—	631,820	497,620				9.60	0.00	
最大	33,040	1.93	7.07	—	21,120	17,280	1.04	7.09	15.00	2.40	0.00	
最小	31,980	1.17	6.93	—	19,210	14,990	0.75	6.94	13.40	0.00	0.00	
平均	32,660	1.49	6.99	—	20,381	16,052	0.90	7.01	13.98	0.31	0.00	

初野浄水場 流量水質報告書

平成29年8月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	32,420	1.83	6.93	—	20,820	15,350	0.99	6.96	15.00	0.00	0.00	
2	32,330	1.81	6.95	—	20,820	15,230	0.97	6.97	15.00	0.00	0.00	
3	32,460	1.75	6.96	—	20,920	15,270	0.96	7.03	15.20	2.40	0.00	
4	32,560	1.75	6.95	—	20,630	15,440	0.94	6.97	15.20	0.00	0.00	
5	32,760	1.75	6.93	—	21,170	15,180	0.90	7.00	15.40	0.00	0.00	
6	33,260	1.71	6.93	—	20,970	15,320	0.86	6.95	15.40	0.00	0.00	
7	32,950	1.90	6.95	—	21,540	14,920	0.82	6.96	15.40	0.00	0.00	
8	33,300	1.19	6.96	—	21,380	15,850	0.84	7.06	15.50	0.00	0.00	
9	32,970	1.61	6.91	—	21,720	15,890	1.12	6.95	15.90	0.00	0.00	
10	33,220	2.65	6.96	—	21,840	15,900	1.73	7.02	19.70	2.40	0.00	
11	32,240	2.55	6.94	—	20,610	15,180	1.70	7.01	19.80	0.00	0.00	
12	33,010	2.66	6.95	—	21,450	14,990	1.82	7.01	19.80	0.00	0.00	
13	32,550	2.37	6.96	—	21,450	14,480	1.77	7.03	19.90	0.00	0.00	
14	32,440	2.73	6.96	—	21,370	14,450	1.80	7.01	19.80	0.00	0.00	
15	32,580	2.52	6.94	—	21,520	12,620	1.79	6.97	19.80	0.00	0.00	
16	32,700	2.54	6.91	—	21,640	16,760	1.71	7.00	19.70	0.00	0.00	
17	31,410	2.85	6.93	—	20,630	15,420	1.81	6.98	19.70	2.40	0.00	
18	31,960	2.65	6.90	—	19,500	15,660	1.84	6.95	19.60	0.00	0.00	
19	31,770	2.71	6.84	—	20,210	15,620	1.92	6.94	19.40	0.00	0.00	
20	31,060	3.08	6.85	—	20,040	15,010	2.04	6.92	19.30	0.00	0.00	
21	31,440	2.87	6.86	—	19,420	14,740	2.07	6.90	19.20	0.00	0.00	
22	31,610	2.76	6.95	—	19,980	15,570	1.83	6.98	19.30	0.00	0.00	
23	31,570	2.47	6.98	—	18,560	15,810	1.58	7.03	19.50	0.00	0.00	
24	31,370	2.26	6.95	—	18,780	15,780	1.50	7.03	19.80	2.40	0.00	
25	31,480	2.22	6.93	—	18,950	15,790	1.53	7.01	19.80	0.00	0.00	
26	31,370	2.07	6.92	—	19,530	15,960	1.52	7.00	19.80	0.00	0.00	
27	31,240	2.05	6.91	—	19,630	15,250	1.57	7.04	19.80	0.00	0.00	
28	31,830	1.82	6.96	—	19,170	15,060	1.42	7.05	19.60	0.00	0.00	
29	31,040	1.91	6.94	—	19,490	15,260	1.44	7.01	19.60	0.00	0.00	
30	31,360	1.33	6.85	—	18,660	15,560	1.05	6.96	16.90	0.00	0.00	
31	31,650	1.39	6.90	—	19,750	15,780	0.95	7.01	16.70	2.40	0.00	
合計	995,910			—	632,150	475,100				12.00	0.00	
最大	33,300	3.08	6.98	—	21,840	16,760	2.07	7.06	19.90	2.40	0.00	
最小	31,040	1.19	6.84	—	18,560	12,620	0.82	6.90	15.00	0.00	0.00	
平均	32,126	2.19	6.93	—	20,392	15,326	1.44	6.99	18.21	0.39	0.00	

初野浄水場 流量水質報告書

平成29年9月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	31,270	1.34	6.93	—	19,800	15,580	0.93	6.98	16.70	0.00	0.00	
2	31,600	1.68	6.92	—	19,590	15,640	1.13	7.00	18.80	0.00	0.00	
3	31,730	1.73	6.97	—	20,480	15,120	1.40	7.07	19.10	0.00	0.00	
4	30,670	1.55	6.95	—	18,900	14,290	1.24	7.05	19.10	0.00	0.00	
5	31,690	1.51	7.01	—	19,440	15,590	1.18	7.07	19.00	0.00	0.00	
6	31,110	1.47	6.97	—	19,070	15,400	1.15	7.03	19.00	0.00	0.00	
7	31,270	1.45	6.93	—	19,600	15,370	1.08	6.99	19.00	2.40	0.00	
8	31,360	1.53	6.88	—	19,570	15,310	1.08	6.99	19.00	0.00	0.00	
9	31,290	1.48	6.93	—	19,010	15,320	1.11	7.04	19.20	0.00	0.00	
10	31,130	1.39	6.98	—	19,050	15,090	1.12	7.04	19.10	0.00	0.00	
11	31,270	1.42	6.94	—	19,330	14,570	1.12	7.01	19.30	0.00	0.00	
12	31,600	1.25	6.95	—	19,740	15,910	1.02	6.93	16.90	0.00	0.00	
13	31,380	1.23	6.94	—	19,630	15,700	0.98	7.03	16.90	0.00	0.00	
14	31,450	1.24	6.93	—	19,470	15,890	0.91	7.02	16.80	1.20	0.00	
15	31,650	1.19	6.91	—	19,530	15,770	0.87	7.00	16.70	0.00	0.00	
16	31,080	1.20	6.91	—	19,100	15,390	1.06	7.00	16.80	0.00	0.00	
17	31,600	1.29	6.85	—	19,860	15,440	0.89	6.94	16.70	0.00	0.00	
18	31,380	2.23	6.83	—	20,140	14,860	1.22	6.93	17.00	0.00	0.00	
19	31,110	1.67	6.91	—	19,280	15,020	0.98	6.95	17.10	0.00	0.00	
20	30,860	1.64	6.88	—	19,150	15,710	1.05	6.95	16.90	0.00	0.00	
21	31,010	1.56	6.88	—	19,050	15,660	0.80	6.99	16.90	1.80	0.00	
22	31,070	1.43	6.89	—	18,900	15,620	0.82	6.99	17.00	0.00	0.00	
23	31,400	1.38	6.84	—	19,380	15,720	0.82	6.94	16.90	0.00	0.00	
24	30,960	1.34	6.89	—	19,450	14,990	0.78	6.98	16.90	0.00	0.00	
25	30,650	1.45	6.90	—	19,350	14,600	0.77	6.99	16.90	0.00	0.00	
26	31,090	1.27	6.92	—	19,070	15,670	0.75	6.99	16.80	0.00	0.00	
27	31,030	1.21	6.93	—	19,230	15,760	0.61	7.00	16.80	0.00	0.00	
28	31,330	1.10	6.87	—	18,890	15,990	0.56	6.97	16.80	2.40	0.00	
29	30,940	1.33	6.89	—	19,440	15,910	0.79	7.00	16.70	0.00	0.00	
30	31,140	1.30	6.88	—	18,930	15,930	0.58	6.98	16.70	0.00	0.00	
合計	937,120			—	581,430	462,820				7.80	0.00	
最大	31,730	2.23	7.01	—	20,480	15,990	1.40	7.07	19.30	2.40	0.00	
最小	30,650	1.10	6.83	—	18,890	14,290	0.56	6.93	16.70	0.00	0.00	
平均	31,237	1.43	6.91	—	19,381	15,427	0.96	7.00	17.58	0.26	0.00	

初野浄水場 流量水質報告書

平成29年10月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	30,990	1.27	6.90	—	19,310	15,100	0.51	6.99	16.70	0.00	0.00	
2	30,900	1.17	6.91	—	19,520	15,120	0.53	6.95	16.70	0.00	0.00	
3	31,060	1.23	6.86	—	19,730	15,550	0.48	6.96	16.80	0.00	0.00	
4	30,990	1.06	6.84	—	18,830	15,510	0.73	6.92	16.50	0.00	0.00	
5	31,160	1.17	6.88	—	19,650	15,560	0.78	6.97	16.60	2.40	0.00	
6	31,160	1.21	6.88	—	19,210	15,610	0.78	6.96	16.50	0.00	0.00	
7	31,110	1.29	6.83	—	18,900	15,360	0.81	6.91	16.50	0.00	0.00	
8	31,680	1.40	6.87	—	19,630	15,460	0.84	6.92	16.00	0.00	0.00	
9	30,580	1.42	6.87	—	18,960	14,560	0.89	6.93	16.60	0.00	0.00	
10	30,920	1.48	6.90	—	19,260	14,750	0.90	6.95	16.60	0.00	0.00	
11	30,930	1.42	6.85	—	19,350	15,430	0.92	6.96	16.50	0.00	0.00	
12	31,170	1.41	6.87	—	19,340	15,440	0.97	6.94	16.60	2.40	0.00	
13	31,010	1.48	6.85	—	19,060	15,670	1.00	6.97	16.50	0.00	0.00	
14	30,960	1.48	6.86	—	19,520	15,570	1.00	6.95	16.30	0.00	0.00	
15	30,580	1.45	6.88	—	19,530	14,860	1.01	6.94	16.20	0.00	0.00	
16	30,650	1.46	6.82	—	19,720	14,720	1.04	6.94	16.10	0.00	0.00	
17	30,990	1.44	6.83	—	19,470	15,600	1.01	6.92	16.00	0.00	0.00	
18	30,770	1.44	6.86	—	18,750	15,710	1.02	6.96	16.00	0.00	0.00	
19	30,490	1.45	6.85	—	18,780	15,390	1.02	6.94	15.80	1.50	0.00	
20	31,230	1.44	6.78	—	19,530	15,870	1.05	6.90	15.70	0.00	0.00	
21	30,860	1.81	6.78	—	18,610	15,660	1.20	6.90	15.80	0.00	0.00	
22	30,780	1.80	6.81	—	19,010	15,240	1.28	6.88	16.00	0.00	0.00	
23	30,930	2.69	6.84	—	19,220	15,120	1.81	6.96	15.90	0.00	0.00	
24	30,980	4.52	6.91	—	19,680	15,660	2.50	6.99	15.60	0.00	0.00	
25	30,790	4.98	6.91	—	18,330	15,930	3.31	6.99	15.30	0.00	0.00	
26	31,000	6.35	6.92	—	19,200	15,980	4.04	6.99	15.20	2.40	0.00	
27	30,680	6.88	6.94	—	18,660	15,740	4.71	7.00	15.00	0.00	0.00	
28	30,970	8.41	6.93	—	18,150	15,680	6.24	6.99	15.30	0.00	0.00	
29	31,090	8.38	6.94	—	19,770	15,230	6.19	6.99	15.30	0.00	0.00	
30	30,490	7.62	6.97	—	19,540	14,690	5.79	7.03	15.30	0.00	0.00	
31	31,000	7.33	6.96	—	19,700	15,610	5.19	7.06	15.00	0.00	0.00	
合計	958,900			—	595,920	477,380				8.70	0.00	
最大	31,680	8.41	6.97	—	19,770	15,980	6.24	7.06	16.80	2.40	0.00	
最小	30,490	1.06	6.78	—	18,150	14,560	0.48	6.88	15.00	0.00	0.00	
平均	30,932	2.84	6.87	—	19,223	15,399	1.92	6.96	16.03	0.28	0.00	

初野浄水場 流量水質報告書

平成29年11月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	30,840	7.20	6.98	—	19,230	15,800	5.24	7.03	14.70	0.00	0.00	
2	30,820	6.76	7.01	—	19,470	15,600	5.09	7.03	14.70	2.40	0.00	
3	31,150	6.42	6.98	—	19,440	15,790	4.75	7.02	14.60	0.00	0.00	
4	30,860	5.97	7.03	—	19,640	15,340	4.38	7.02	14.50	0.00	0.00	
5	30,730	5.44	7.02	—	19,870	15,220	3.92	7.05	14.30	0.00	0.00	
6	31,100	5.23	7.03	—	19,870	15,130	3.75	7.09	14.10	0.00	0.00	
7	30,990	5.01	7.02	—	19,540	15,650	3.52	7.08	14.20	0.00	0.00	
8	31,800	4.80	7.03	—	19,730	16,370	3.41	7.06	14.00	0.00	0.00	
9	30,040	4.52	7.03	—	18,670	15,350	3.13	7.08	13.90	2.40	0.00	
10	30,830	4.38	7.03	—	18,780	16,160	3.08	7.10	13.80	0.00	0.00	
11	31,070	4.05	7.04	—	19,520	16,210	2.88	7.08	13.60	0.00	0.00	
12	31,020	3.89	7.04	—	19,760	15,460	2.86	7.10	13.40	0.00	0.00	
13	30,680	3.69	7.06	—	19,560	15,070	2.64	7.09	13.10	0.00	0.00	
14	36,670	3.51	7.04	—	23,190	19,030	2.75	7.03	13.30	0.00	0.00	
15	26,120	3.27	7.05	—	16,660	13,340	2.35	7.06	13.00	0.00	0.00	
16	31,370	3.19	7.05	—	19,530	16,280	2.30	7.06	12.90	1.50	0.00	
17	31,490	3.10	7.07	—	19,560	16,770	2.27	7.07	12.70	0.00	0.00	
18	31,240	3.10	7.06	—	19,800	16,020	2.19	7.07	12.60	0.00	0.00	
19	31,850	2.96	7.05	—	20,500	16,870	2.11	7.07	12.40	0.00	0.00	
20	31,200	2.93	7.04	—	20,060	15,620	2.09	7.07	12.10	0.00	0.00	
21	31,370	2.89	7.05	—	20,110	16,030	2.10	7.07	12.00	0.00	0.00	
22	31,430	2.85	7.07	—	19,990	15,890	2.05	7.07	11.70	2.40	0.00	
23	31,730	2.74	7.05	—	20,000	16,290	2.00	7.06	11.80	0.00	0.00	
24	31,070	2.65	7.01	—	19,960	17,180	1.98	7.05	11.60	0.00	0.00	
25	31,270	2.68	7.07	—	19,610	16,340	1.99	7.10	11.50	0.00	0.00	
26	31,370	2.63	7.07	—	19,990	15,680	1.89	7.10	11.40	0.00	0.00	
27	31,110	2.65	7.05	—	19,910	14,890	1.91	7.10	11.30	0.00	0.00	
28	31,790	2.59	7.05	—	20,080	16,510	1.87	7.09	11.20	0.00	0.00	
29	31,700	3.24	7.06	—	19,760	17,430	1.83	7.09	11.20	0.00	0.00	
30	31,490	2.56	7.04	—	19,130	17,940	1.79	7.08	11.20	2.40	0.00	
合計	936,200			—	590,920	481,260				11.10	0.00	
最大	36,670	7.20	7.07	—	23,190	19,030	5.24	7.10	14.70	2.40	0.00	
最小	26,120	2.56	6.98	—	16,660	13,340	1.79	7.02	11.20	0.00	0.00	
平均	31,207	3.90	7.04	—	19,697	16,042	2.80	7.07	12.89	0.37	0.00	

初野浄水場 流量水質報告書

平成29年12月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカリ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	32,470	2.56	7.03	—	20,200	17,750	1.83	7.07	11.00	0.00	0.00	
2	33,140	2.50	7.08	—	20,810	18,300	1.78	7.09	10.80	0.00	0.00	
3	32,910	2.54	7.11	—	20,780	18,140	1.81	7.10	10.70	0.00	0.00	
4	32,970	2.50	7.08	—	21,070	15,400	1.70	7.09	10.70	0.00	0.00	
5	32,870	2.48	7.07	—	20,370	16,000	1.63	7.09	10.60	0.00	0.00	
6	32,830	2.47	7.07	—	20,640	16,030	1.40	7.08	10.50	0.00	0.00	
7	33,140	2.42	7.08	—	20,610	16,060	1.29	7.10	10.40	2.40	0.00	
8	32,820	2.42	7.09	—	20,400	17,700	1.26	7.10	10.30	0.00	0.00	
9	32,880	2.42	7.07	—	20,410	19,080	1.25	7.09	10.10	0.00	0.00	
10	33,340	2.40	7.10	—	20,920	18,720	1.19	7.12	10.00	0.00	0.00	
11	32,320	2.44	7.10	—	20,410	17,880	1.18	7.10	9.90	0.00	0.00	
12	33,250	2.58	6.92	—	20,590	19,090	1.31	6.98	9.50	0.00	0.00	
13	32,630	2.54	6.83	—	20,410	18,500	1.26	6.93	9.10	0.00	0.00	
14	33,410	2.60	6.89	—	20,930	18,850	1.33	6.92	9.00	2.40	0.00	
15	33,330	2.60	6.91	—	20,130	18,950	1.33	7.00	8.90	0.00	0.00	
16	34,110	2.67	6.86	—	21,520	18,820	1.34	6.94	8.80	0.00	0.00	
17	33,520	2.65	6.88	—	21,020	15,970	1.27	6.94	8.80	0.00	0.00	
18	33,960	2.55	6.86	—	21,650	15,510	1.25	6.94	8.50	0.00	0.00	
19	33,790	2.76	6.71	—	20,560	16,060	1.48	6.81	8.20	0.00	0.00	
20	34,010	2.63	6.69	—	20,630	16,490	1.39	6.86	8.20	0.00	0.00	
21	33,760	2.65	6.84	—	20,480	17,300	1.35	6.95	8.30	2.40	0.00	
22	33,890	2.48	6.88	—	20,160	18,100	1.29	6.95	8.20	0.00	0.00	
23	33,460	2.44	6.89	—	20,760	18,950	1.33	6.97	8.20	0.00	0.00	
24	33,500	2.39	6.95	—	20,620	18,980	1.21	6.98	8.30	0.00	0.00	
25	32,840	2.28	7.03	—	20,870	18,620	1.26	7.02	8.40	0.00	0.00	
26	33,990	2.41	7.04	—	21,880	18,640	1.25	7.12	8.20	0.00	0.00	
27	34,100	2.46	7.01	—	21,660	18,680	1.25	7.07	7.90	0.00	0.00	
28	34,190	2.47	7.05	—	21,200	16,580	1.27	7.12	7.70	2.40	0.00	
29	32,550	2.59	7.02	—	19,700	15,560	1.30	7.10	7.50	0.00	0.00	
30	32,750	2.75	7.02	—	19,680	15,830	1.46	7.07	7.40	0.00	0.00	
31	31,870	2.72	7.05	—	19,460	15,220	1.41	7.08	7.30	0.00	0.00	
合計	1,030,600			—	640,530	541,760				9.60	0.00	
最大	34,190	2.76	7.11	—	21,880	19,090	1.83	7.12	11.00	2.40	0.00	
最小	31,870	2.28	6.69	—	19,460	15,220	1.18	6.81	7.30	0.00	0.00	
平均	33,245	2.53	6.97	—	20,662	17,476	1.38	7.03	9.08	0.31	0.00	

初野浄水場 流量水質報告書

平成30年1月分

項目 日	原 水 関 係				沈澱池 流量 (m ³ /日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m ³ /日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m ³ /日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	32,200	2.73	7.05	—	19,050	15,260	1.46	7.07	7.20	0.00	0.00	
2	32,240	2.71	7.06	—	20,180	15,320	1.42	7.10	7.10	0.00	0.00	
3	32,450	2.73	7.07	—	20,370	15,510	1.39	7.11	7.00	0.00	0.00	
4	31,930	2.74	7.09	—	20,120	15,320	1.35	7.13	6.80	2.40	0.00	
5	32,210	2.79	7.09	—	20,190	15,670	1.35	7.13	6.70	0.00	0.00	
6	32,190	2.98	7.11	—	19,790	16,330	1.33	7.14	6.70	0.00	0.00	
7	32,630	2.80	7.12	—	19,960	18,150	1.30	7.14	6.60	0.00	0.00	
8	31,900	2.86	7.13	—	20,110	17,680	1.33	7.13	6.50	0.00	0.00	
9	32,180	2.95	7.12	—	20,290	18,400	1.26	7.10	6.60	0.00	0.00	
10	34,080	2.94	7.14	—	21,230	19,580	1.48	7.16	6.50	0.00	0.00	
11	34,370	2.88	7.15	—	21,270	19,080	1.29	7.14	6.40	2.40	0.00	
12	34,650	2.89	7.14	—	21,830	18,860	1.23	7.12	6.30	0.00	0.00	
13	34,960	2.92	7.16	—	21,920	17,840	1.29	7.18	6.20	0.00	0.00	
14	34,420	2.95	7.14	—	22,180	15,880	1.27	7.16	6.20	0.00	0.00	
15	34,270	2.92	7.17	—	21,940	15,510	1.21	7.17	6.00	0.00	0.00	
16	33,150	2.85	7.14	—	20,080	16,470	1.11	7.17	6.00	0.00	0.00	
17	32,580	2.81	7.15	—	19,640	18,380	1.17	7.14	6.10	0.00	0.00	
18	33,030	3.10	7.11	—	20,610	18,200	1.29	7.12	6.00	2.40	0.00	
19	33,280	2.69	7.13	—	20,200	18,880	1.20	7.13	6.00	0.00	0.00	
20	33,480	2.61	7.14	—	21,200	19,610	1.18	7.15	5.90	0.00	0.00	
21	33,140	2.60	7.15	—	21,040	18,830	1.11	7.14	5.90	0.00	0.00	
22	33,430	2.62	7.14	—	21,190	18,890	1.11	7.14	5.80	0.00	0.00	
23	33,150	2.75	7.15	—	20,650	19,060	1.19	7.13	5.70	0.00	0.00	
24	34,410	1.64	7.19	—	21,830	20,640	1.26	7.16	5.70	0.00	0.00	
25	34,810	1.65	7.16	—	22,470	19,760	1.24	7.15	5.50	2.40	0.00	
26	35,260	1.63	7.19	—	22,150	19,930	1.24	7.19	5.40	0.00	0.00	
27	35,270	1.63	7.20	—	21,630	19,650	1.24	7.19	5.30	0.00	0.00	
28	34,560	1.66	7.24	—	21,190	18,670	1.25	7.21	5.10	0.00	0.00	
29	34,700	1.63	7.22	—	21,430	17,880	1.23	7.21	5.10	0.00	0.00	
30	35,250	1.64	7.22	—	21,210	19,780	1.20	7.19	5.10	0.00	0.00	
31	35,850	1.63	7.25	—	22,010	19,280	1.23	7.20	5.00	0.00	0.00	
合計	1,042,030			—	648,960	558,300				9.60	0.00	
最大	35,850	3.10	7.25	—	22,470	20,640	1.48	7.21	7.20	2.40	0.00	
最小	31,900	1.63	7.05	—	19,050	15,260	1.11	7.07	5.00	0.00	0.00	
平均	33,614	2.51	7.15	—	20,934	18,010	1.26	7.15	6.08	0.31	0.00	

初野浄水場 流量水質報告書

平成30年2月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカリ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	37,710	1.70	7.23	—	23,790	19,900	1.27	7.18	5.00	2.40	0.00	
2	35,710	1.63	7.21	—	22,440	19,570	1.23	7.18	4.90	0.00	0.00	
3	35,470	1.69	7.22	—	21,890	19,500	1.21	7.22	4.90	0.00	0.00	
4	35,590	1.65	7.22	—	22,010	18,810	1.23	7.20	4.90	0.00	0.00	
5	34,780	1.59	7.22	—	21,660	16,430	1.20	7.22	4.80	0.00	0.00	
6	33,730	1.78	7.21	—	20,600	17,180	1.12	7.22	4.80	0.00	0.00	
7	34,650	1.56	7.24	—	21,730	17,320	1.14	7.23	4.80	0.00	0.00	
8	32,250	1.56	7.22	—	19,220	17,190	1.12	7.22	4.80	2.40	0.00	
9	33,120	1.53	7.23	—	19,750	17,280	1.12	7.22	4.80	0.00	0.00	
10	34,030	1.57	7.25	—	21,100	17,140	1.14	7.23	4.90	0.00	0.00	
11	34,010	1.53	7.22	—	21,240	16,420	1.15	7.21	4.90	0.00	0.00	
12	31,930	1.57	7.23	—	18,860	16,130	1.12	7.23	4.80	0.00	0.00	
13	31,680	1.56	7.24	—	18,570	16,240	1.13	7.23	4.70	0.00	0.00	
14	33,640	1.56	7.25	—	20,110	17,080	1.13	7.24	4.70	0.00	0.00	
15	32,580	1.48	7.24	—	19,950	16,000	1.07	7.21	4.80	2.40	0.00	
16	33,200	1.14	7.53	—	20,960	16,780	1.31	7.56	4.70	0.00	0.00	
17	34,480	1.60	7.53	—	20,310	16,740	1.03	7.57	4.80	0.00	0.00	
18	33,690	1.62	7.52	—	20,080	16,730	1.04	7.58	4.60	0.00	0.00	
19	33,820	1.70	7.54	—	20,620	16,410	1.14	7.58	4.50	0.00	0.00	
20	33,760	1.69	7.55	—	20,160	16,990	1.14	7.58	4.50	0.00	0.00	
21	34,010	1.70	7.55	—	20,380	16,880	1.10	7.57	4.50	0.00	0.00	
22	33,580	1.66	7.57	—	20,010	19,740	1.07	7.59	4.50	2.40	0.00	
23	34,260	1.74	7.56	—	20,540	15,030	1.11	7.59	4.50	0.00	0.00	
24	34,410	1.71	7.57	—	21,030	19,450	1.14	7.58	4.50	0.00	0.00	
25	34,830	1.69	7.55	—	21,690	19,800	1.06	7.57	4.50	0.00	0.00	
26	34,630	1.67	7.56	—	21,770	19,560	1.11	7.59	4.60	0.00	0.00	
27	34,940	1.71	7.56	—	22,170	19,800	1.12	7.59	4.50	0.00	0.00	
28	37,060	1.70	7.56	—	23,640	20,080	1.11	7.58	4.50	0.00	0.00	
合計	957,550	—	—	—	586,280	496,180	—	—	—	9.60	0.00	
最大	37,710	1.78	7.57	—	23,790	20,080	1.31	7.59	5.00	2.40	0.00	
最小	31,680	1.14	7.21	—	18,570	15,030	1.03	7.18	4.50	0.00	0.00	
平均	34,198	1.62	7.38	—	20,939	17,721	1.14	7.38	4.70	0.34	0.00	

初野浄水場 流量水質報告書

平成30年3月分

項目 日	原 水 関 係				沈澱池 流量 (m ³ /日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m ³ /日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m ³ /日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	35,390	1.63	7.54	—	22,470	20,380	1.07	7.58	4.70	0.00	0.00	
2	35,080	2.42	7.55	—	22,410	20,260	2.14	7.55	4.70	0.00	0.00	
3	35,270	2.11	7.58	—	22,600	20,460	1.56	7.59	4.70	0.00	0.00	
4	35,640	1.98	7.58	—	22,650	20,170	1.46	7.57	4.90	0.00	0.00	
5	34,770	1.90	7.59	—	22,250	19,850	1.36	7.56	5.10	0.00	0.00	
6	35,320	2.71	7.54	—	22,670	20,230	1.75	7.56	5.30	0.00	0.00	
7	34,910	2.17	7.56	—	22,430	20,070	1.66	7.57	5.20	0.00	0.00	
8	35,680	2.02	7.55	—	22,260	20,500	1.49	7.56	5.10	2.40	0.00	
9	35,190	2.02	7.55	—	22,470	19,880	1.42	7.56	5.50	0.00	0.00	
10	35,840	2.70	7.54	—	23,190	20,360	2.52	7.56	5.50	0.00	0.00	
11	35,110	2.34	7.56	—	22,710	19,590	1.92	7.57	5.40	0.00	0.00	
12	35,300	2.32	7.56	—	23,040	19,660	1.80	7.56	5.40	0.00	0.00	
13	35,450	2.38	7.57	—	22,690	20,410	1.95	7.56	5.40	0.00	0.00	
14	35,420	2.37	7.59	—	22,720	20,610	2.00	7.54	5.80	0.00	0.00	
15	35,280	2.62	7.57	—	22,620	20,440	2.12	7.54	6.20	2.40	0.00	
16	35,500	2.64	7.57	—	22,780	20,740	2.29	7.53	6.70	0.00	0.00	
17	35,310	2.90	7.57	—	23,280	20,110	2.61	7.57	6.50	0.00	0.00	
18	35,330	2.84	7.56	—	22,760	19,540	2.55	7.56	6.40	0.00	0.00	
19	35,320	2.85	7.57	—	22,990	19,490	2.29	7.57	6.60	0.00	0.00	
20	35,890	2.80	7.58	—	23,410	19,720	2.19	7.59	6.80	0.00	0.00	
21	36,550	2.82	7.57	—	24,230	19,950	2.26	7.52	6.30	0.00	0.00	
22	35,950	2.88	7.55	—	23,850	19,440	2.18	7.54	6.40	2.40	0.00	
23	35,130	3.16	7.55	—	23,100	19,070	3.07	7.55	6.50	0.00	0.00	
24	35,850	2.93	7.56	—	23,440	19,810	2.44	7.53	6.70	0.00	0.00	
25	35,720	2.95	7.56	—	23,370	19,160	2.35	7.52	6.60	0.00	0.00	
26	35,600	2.91	7.58	—	23,540	19,310	2.27	7.55	7.00	0.00	0.00	
27	35,560	2.98	7.57	—	23,200	20,060	2.38	7.52	7.30	0.00	0.00	
28	35,530	2.95	7.56	—	23,410	19,940	2.59	7.52	7.20	0.00	0.00	
29	35,480	3.07	7.56	—	23,270	20,060	2.42	7.52	7.50	2.40	0.00	
30	35,480	3.04	7.56	—	23,060	19,980	2.49	7.52	8.40	0.00	0.00	
31	35,850	2.94	7.54	—	23,660	20,320	2.40	7.52	8.80	0.00	0.00	
合計	1,099,700	—	—	—	712,530	619,570	—	—	—	9.60	0.00	
最大	36,550	3.16	7.59	—	24,230	20,740	3.07	7.59	8.80	2.40	0.00	
最小	34,770	1.63	7.54	—	22,250	19,070	1.07	7.52	4.70	0.00	0.00	
平均	35,474	2.59	7.56	—	22,985	19,986	2.10	7.55	6.15	0.31	0.00	